

env AGAGTACGAGCCA**TAG**ATAAC **IRES** GFPCACGATAATACCATGGCCATTCGAACAAGG **GFP** <u>MLV NONCODING</u> CTGTACAAGTAGCGGCCGCCCATAGATAAA g1ZD-hygro env **IRES** AGAGTACGAGCCATAGATAACGTTACTGGCC... hygromycin R **IRES** CACGATAATACCATGGCCATTCGAACCGCGA. hygromycin ^R MLV NONCODING TGGGGGCCGCCCATAGATAAAAGAT...




FIG. 2A




FIG. 2B






FIG. 3A




FIG. 3B

Matter No.: 06666-022002 Page 4 of 16 Applicant(s): Noriyuki Kasahara et al. GENE DELIVERY SYSTEM AND METHODS OF USE








FIG. 6A










6/16



7/16













FIG. 10



HISTORIAN STATES

13/16








FIG. 15

15/16




FIG. 16A




FIG. 16B

GENE DELIVERY SYSTEM AND METHODS OF USE

16/16




FIG. 17

ZZ


env

VEGF


GFP

env





ZDAH-emd



ZBAH-emd

ss anti-Her2 scA PRR C-SU TM BIRL	iP ES emd
-----------------------------------	--------------

FIG. 18